

Lanier Worldwide, Inc. 2300 Parklake Drive, NE Atlanta, GA USA 30345-2979

MATERIAL SAFETY DATA SHEET

Emergency Telephone: 800-551-3087

Section 1: Chemical Product and Company Information

 Identity:
 T6450 Black Toner
 MSDS No.
 CP- 269

 Product ID:
 117-0163
 Issued: 05/01/2006

 Supersedes:
 03/10/2003

Synonyms Date: 05/01/2006 & Common Toner, Black Prepared by: EH&S Department Date: 05/01/2006 Prepared by: EH&S Department Date: 05/01/2006

& Common Toner, Black Prepared by: EH&S Department 770-496-9500 Approved by: Larry Choskey, Manager, CEH&S

Uses: Lanier 6450, 6550

Chemical

Formula: Mixture

Section 2: Composition / Information on Ingredients **PERCENT** CAS No. **EXPOSURE LIMITS** SOURCE Not listed Styrene acrylate copolymer 88.5 27136-15-8 N/a 1333-86-4 OSHA TWA Cárbon black 6.5 3.5 mg/m 3.5 mg/m³ **ACGIH TWA** Polypropylene 25085-53-4 Not listed 3.5 N/a Organic pigment 1.5 115706-73-5 Not listed N/a

*PEL as the product: 15mg/m³ (total dust), 5mg/m³ (respirable dust) *TLV as the product: 10mg/m³ (total dust), 5mg/m³ (respirable dust)

Section 3: Hazards Identification

HMIS Rating:FLAMMABILITY = 1HEALTH = 1REACTIVITY = 0SPECIAL = none

Health Hazards (Acute, Chronic, Immediate and Potential): Minimum irritation to respiratory tract may occur as with exposure to any non-toxic dust. May cause gasping if inhaled. Inhalation should be avoided. May cause temporary eye discomfort. Health Hazards of Long Term exposure (Chronic): Prolonged inhalation of excessive dust may cause lung damage. It is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust.

Carcinogenicity: Carbon Black was reclassified as a Group 2B by the IARC in 1996 based upon the result of only the inhalation study in rats. However, there was not observed the incidence of tumors on the test results on dermal or oral studies. Also, 2-years inhalation study using a typical toner containing carbon black showed no association between toner exposure and animal tumors.

Section 4: First Aid Measures

Gargle with water. Remove to fresh air if effects occur. Get medical attention if needed.

Skin Contact:

Wash with soap and water.

Gargle with water. Remove to fresh air if effects occur. Get medical attention if needed.

Eye Contact: with water for 15 minutes. Get medical attention if needed.

Dilute stomach contents with several

Skin Contact: Wash with soap and water. Ingestion: Dilute stomach contents with several glasses of water. Get medical attention.

Section 5: Fire Fighting Measures

Suitable extinguishing media: CO₂, dry chemical, foam or water. **Fire Fighting Instructions:** Generally by sprinkling or extinguisher

Special protective equipment for fire fighters: none

UEL: n/a LEL: n/a

Burning rate: N/a

Section 6: Accidental Release Measures

Spill / leak Procedures: If spilled, sweep up using an approved toner vacuum with a 0.5 micron filter or smaller, such as the Atrix AAA Toner Vacuum or 3M Toner Vacuum. Use of a vacuum cleaner not rated for toner particles, could result in a fire or personal injury. Remove residue with soap and cold water.

Miscellaneous: Keep product out of sewers and watercourses.

Personal protection: Avoid inhalation of dust.

Section 7: Handling and Storage

Special Handling: Cleanse skin after contact before breaks or meals, and end of workday.

Do not handle in areas where the wind blows.

Minimize the breathing of dust.

Avoid direct sunlight. Keep out of reach of children. Store in a cool, dry place. Below 35C (95F) Special Storage:

Section 8: Exposure Control and Personal Protection Information:

Respiratory Protection: none required under normal use. Hand Protection: none required under normal use.

Eye Protection: none required under normal use. Skin Protection: none required under normal use.

Section 9: Physical and Chemical Properties

CHARACTERISTICS: 110-150°C Appearance: Black Softening point: Form: Powder Vapor pressure: N/a Odor: Odorless Vapor density: N/a Solubility in Water: Negligible Evaporation rate: N/a Specific gravity: Boiling point: N/a N/a $1.1 - 1.5 \text{ g/cm}^3$

Section 10: Stability and Reactivity

% Volatiles:

N/a

Conditions to avoid: Materials to avoid: None Hazardous decomposition products: CO, CO2, and NOx when burned. Stability: Stable

Section 11: Toxicological Information:

Ames test: Negative

Density:

Acute oral toxicity: Rat: LDLO: 5.0g/kg

Special effects: Carcinogenicity: In 1996 the IARC reclassified Carbon Black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, 2-years cancer bioassay using a typical toner preparation containing carbon black did not demonstrate an association between toner exposure and tumor development in rats. Teratogenicity: Not available

Section 12: Environmental / Ecological Information

Bioaccumulation: Not known **Environmental Degradability:** Not known

Section 13: Disposal Consideration

Used toner should be disposed of under conditions that meet all federal, state and local environmental regulations. Do not incinerate loose or spilled toner.

Section 14: Transportation Information

International regulations:

RID/ADR Not applicable DOT 49 CFR Not applicable UN Classification Number Not applicable Not applicable IMDG Code Not applicable

Specific precautionary transport measures: Avoid direct sunlight. Do not keep over 35°C (95°F).

Specific material to avoid: None in normal use.

Section 15: Regulatory Information

Regulation: US/Canada Information

OSHA Hazard Communication Standard, 29CFR 1910. 1200: Not regulated

Toxic Substance Control Act (TSCA): All chemical substances in this product comply with all applicable rules or orders under

RCRA (40 CFR 261): Product or components not listed.

CERCLA/SARA Information: Not regulated.

NTP Annual Report on Carcinogens: Not listed as an NTP carcinogen.

IARC: See section 11.

California Proposition 65: Neither toner, or any of the components, are listed as chemicals known to the State of California to cause cancer or reproductive system effects.

Controlled Products Regulations (Canada): This product has been classified in accordance with the hazard criteria of the CPR. Other State Regulations: Carbon black is listed in the New Jersey Right to Know List, Pennsylvania Hazardous Substance List, and Massachusetts Substance List.

U.S./Canada Label Statements: LOW HAZARD FOR RECOMMENDED HANDLING. Minimize dust generation and accumulation. Use with adequate ventilation.

EU Information

Label Information According to Directives 67/548 EEC & 88/379 EEC:

Symbol & Indication: Not required

Risk Phrase: Not required

Safety Advise Phrase: Not required

EEC Directive (76/548 EEC, 79/831 EEC, 92/32 EEC): All chemical substances in this product comply with all applicable rules or order under EEC Directive.

The Subject of Specific Provisions in Relation to Protection of Man or the Environment. Directive 76/769/EEC: Not required National requirement: No specific regulations or restrictions.

Section 16: Miscellaneous Information

Judgment as to the suitability of information contained herein for user's purposes is the responsibility of the purchaser. Therefore, although reasonable care has been taken in the preparation of this information, Lanier Worldwide, Inc. extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to user's intended purposes or for consequences of its use. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we do not guarantee that these are the only hazards that exist.